



## GENERAL SPECIFICATIONS

|                             |              |               |
|-----------------------------|--------------|---------------|
| • L.O.A*:                   | 9,10m        | 29'10"        |
| • Hull length:              | 7,97m        | 26'2"         |
| • Overall width:            | 2,99m        | 9'10"         |
| • Beam:                     | 2,97m        | 9'9"          |
| • Draught (min/max):        | 0,50 - 0,90m | 1'5" - 2'11"  |
| • Air draft:                |              |               |
| - without T-Top:            | 2,17m        | 7'1"          |
| - with T-Top:               | 2,82m        | 9'3"          |
| • Light displacement (EC):  | 3 354kg      | 7,392 lbs     |
| • Unladen displacement :    | 2 500kg      | 5,510 lbs     |
| • Fuel tanks:               |              |               |
| - standard:                 | 2 x 200L     | 2 x 53 US Gal |
| - Option:                   | 2 x 288L     | 2 x 76 US Gal |
| • Water tank:               | 100L         | 26 US Gal     |
| • Max engine certification: | 500 HP       | 500 HP        |
| • Driving shaft length:     |              |               |
| - Single engine             | XXL / 762mm  | 30"           |
| - Twin engine               | XL / 635mm   | 25"           |

\* (Option: Swim platform & Bowsprit, without engine)

## ARCHITECTS / DESIGNERS

- Development: Bénéteau POWERBOATS
- Designers: Style & Design

## EC CERTIFICATION

- Category B - 6 people
- Category C - 10 people

## AIR STEP SYSTEM®

- R.L. JEANTET
- P. TABLEAU
- M. TRONQUEZ



## STANDARD EQUIPMENT

### CONSTRUCTION

#### HULL

- Technology: Air Step®
- Patent: Beneteau

#### Composition:

- Sandwich (Polyester resin - Glass fiber - Balsa core)
- White hull
- Winching ring on bow

#### DECK

#### Composition:

- Sandwich (Polyester resin - Glass fiber - Balsa core)

### DECK EQUIPMENT

#### MOORING LINES - MOORING

- Stainless steel bow fitting with roller
- Self-bailing mooring locker with hatch cover
- Eye bolt to secure mooring
- 2 Forward cleats + 2 Cleats amidships + 2 Aft cleats in aluminum, 250 mm / 10"

#### SAFETY ON DECK

- Stainless steel forward hand rail  
Elegance version: Black lacquered stainless steel forward hand rail
- 2 Catwalks
- Wide sideways around the consol:
  - Port: 0,37m / 1'3"
  - Starboard: 0,37m / 1'3"

#### COCKPIT

- Wide and deep self-bailing cockpit (Freeboard: 0,78m / 2'7")
- 3 person cockpit seat with fixed backrest and stainless steel hand rail: 1,60 x 0,44m / 5'3" x 1'5"  
Elegance version: 3 person cockpit seat with black hand rails and backrest that can be converted into a sun deck 1,60 x 0,90m / 5'3" x 2'11"
- Removeable teak cockpit table with 3 integrated cup holders
- 1 Large lockable central cockpit locker with gas piston assisted opening
- Stowage under the central cockpit seat (BIB location)
- Stowage under the cockpit seat
- Roto-moulded fuel tanks (2 x 200 L / 2 x 53 US Gal) at the bottom of the cockpit compartment, in waterproof and ventilated compartment
- 2 Fuel filler on aft freeboards (Port and starboard)
- 2 access points to the bathing platform
- 2 safety gates
- Telescopic swimming ladder beneath port side platform, with hand rail
- Cockpit shower
- All-round light on samson post
- Navigation lights (Port and starboard)
- Bench seat in front of console with arm rest and 2 hand rails
- Tilting side platform with mechanical mechanism (Length: 1,60m / 5'3" x Height: 0,85m / 2'9")
- 4 Forward cup holders
- 4 Cup holders in cockpit
- 2 Rod holders
- 2 Handrails

### STEERING STATION

- Windscreen PMMA light grey tinted
- Handrail around the windscreen
- Center consol
- Dashboard with location for electronics , max. 12" screen, rpm and trim
- Fuel gauge
- USB socket
- Steering wheel
- Location for top gas throttle (Throttle and instruments delivered with pre-rigging)
- Fitted footrests
- Hydraulic steering
- leaning post / High comfort pilot and copilot bench seat with built-in function Bolster
- Hatch cover under the leaning post
- Copilot hand rail
- Cabin access through sliding door in translucent grey PMMA

### COCKPIT GALLEY

- Sink with 2 bowls
- Teak work top
- Space for gas oven (In Confort trim level)

### INTERIOR

- Woodwork Alpi Walnut
- Brown oak laminated floors
- Interior cushions in Cushy Limestone upholstery (optional extra)

### FORWARD CABIN

Headroom = 0,73 - 1,81m / 2'5" - 6'

- Stowage compartments in wood (Port / Starboard / forward)
- Access to battery switch/fuse box
- Optional mattress (2,00 - 2,25m / 6'7" x 7'5" max)
- Lighting from 2 ceiling lights
- Ventilation provided by one opening porthole

### HEAD

Headroom = 1,81m / 6'

- Space for optional WC
- Washbasin
- Shower (in trim level)
- Access hatch to service compartment under washbasin
- Rail for storage
- Mirror
- Ventilation provided by one opening porthole
- Lighting from 1 ceiling light
- Attachment system for cabin ladder

### MID-CABIN

Headroom = 0,49m / 1'7"

- Mattress 1,84 x 1,40m / 6'0" x 4'7" (optional extra)
- Storage cubbyhole
- Technical access
- Lighting from 1 ceiling light



## ELECTRICITY

- 12 V electrical panel
- Installation for engine batteries delivered with the pre-rigging or refrigerator (Maximum: 2 batteries not delivered)

## PLUMBING

- 1 Manual bilge pump
- 1 Electric bilge pump
- Pressured cold water
- Hot water system on shore supply (Comfort Trim level)
- Water filling drain plug

## VERSIONS

### STANDARD UPHOLSTERY VERSION

- PVC Marlin Auster upholstery
  - Fixed cockpit aft bench seat
  - Bolster leaning post bench seat for pilot and co-pilot
  - Seat in front of the console
- Stainless steel pulpits

### ELEGANCE UPHOLSTERY VERSION

- PVC Silververtex Plata + Cognac upholstery
  - Cockpit bench seat, with seat back convertible to sun recliner (1,60 x 0,90m / 5'3" x 2'11")
  - Bolster leaning post bench seat for pilot and co-pilot
  - Seat in front of console with arm rest
  - Face-to-face bench seat with backrest and stowage
  - Extension for sun deck (1,80 x 1,25m / 5'11" x 4'1")
- Built-in forward bimini
- Black pulpits

## TRIM LEVEL & PACKS

### TRIM LEVEL

|  | ESSENTIAL   |               | CONFORT     |               |
|--|-------------|---------------|-------------|---------------|
|  | Twin engine | Single engine | Twin engine | Single engine |
| • Electric windlass                                    | ■           | ■             | ■           | ■             |
| • Extended swim platform                               | ■           | ■             | ■           | ■             |
| • 49 L refrigerator in the cockpit                     | ■           | ■             | ■           | ■             |
| • Additional battery pre-wiring for refrigerator       |             | ■             |             | ■             |
| • 25 L water heater                                    |             |               | ■           | ■             |
| • Electrical circuit with shore power socket + charger |             |               | ■           | ■             |
| • External gas cooker                                  |             |               | ■           | ■             |

## ELECTRONICS PACKS

### ELECTRONIC PACK

- 9" GARMIN ECHOMAP UHD 92 SV Multifunction screen (chart not included)
- GARMIN GT21-TH Sensor

### ELECTRONIC - UPGRADED PACK

- 12" GARMIN GPSMAP 8412 XSV Multifunction screen (chart not included)
- GARMIN GT21-TH Sensor

### SOUND PACK

- Fusion MS-RA70N
- 4 Exterior speakers (50 W)

### SOUND SIGNATURE PLUS PACK

- Fusion MS-RA70N
- Amp (1 600 W)
- Interior:
  - 2 Signature sport chrome speakers (230 W), blue LED
- Exterior:
  - 4 Signature sport chrome speakers (230 W), blue LED
  - Subwoofer (450 W)



## OPTIONS

### INTERIOR ACCOMMODATION / ONBOARD COMFORT

---

- Mattress (Forward cabin + Portside seating)
- Mattress (Mid-cabin)
- 8 000 BTU air conditioning on shore power socket
- 8 000 BTU air conditioning with battery power supply
- Direct fresh water intake from the shore
- Marine toilet + Sewage tank
- Fresh water electric toilet + Sewage tank

### EXTERIOR OPTIONS

---

- Complete mooring kit
- Bowsprit without swim ladder
- Swimming ladder for bowsprit
- Stainless steel bimini (Steering station)
- Aft bimini extension for cockpit
- Stainless steel T-Top (polyester roof/extension of graphite canvas cockpit awning)
- Pilot protection for T-Top
- Rack for T-Top
- Deck searchlight for T-Top (LED strip)
- 5 Rod holders on T-Top
- Foldaway bench seat to starboard
- Reclining bench seat behind the leaning post
- Protective cases: Cockpit bench seat + leaning post + console + Seat in front of the console
- Protective cases: Cockpit bench seat + leaning post + console + Seat in front of the console + Front seat
- Water ski mast (Arch)
- Solid wood cockpit
- Solid wood cockpit + Bathing platforms
- Teak cockpit table with telescopic pedestal, which can be converted into a sun deck (with sun deck upholstery)
- Fishing station (replacing the cockpit bench seat): Fishtank, Storage, Rod holders, Fold-up seat
- 2 Rod stowage compartments in the freeboards

### ELECTRICAL SYSTEM

---

- LED courtesy light in cockpit
- Underwater lights (x2)
- Horn

### ENGINE

---

- Bow thruster (battery not delivered)
- Fuel tank 2 x 288 L (in lieu of standard 2 x 200L)
- Lenco electric trim tabs
- Zipwake automatic trim system
- Bracket mandatory for single engine
  
- Suzuki mechanic keyless pre-rigging (2 x 150-250 CV/HP)
- Suzuki mechanic NOkeyless pre-rigging (2 x DF250TX ZX CV/HP)
- Suzuki electronic keyless pre-rigging (1 x 300-350 CV/HP)
- Suzuki electronic keyless pre-rigging (2 x 150-250 CV/HP)
- Honda mechanic pre-rigging (2 x 150-250 CV/HP)
- Yamaha electronic pre-rigging (2 x 200-250 CV/HP)
- Mercury electronic pre-rigging (1 x 300-400 CV/HP Verado)
- Mercury electronic pre-rigging (2 x 175-225 CV/HP Verado)
- Mercury electronic pre-rigging (2 x 250 CV/HP Verado)
- Pre-rigging Mercury Joystick (2 x 250 CV/HP Verado)

### NAVIGATION ELECTRONICS

---

- GARMIN 215 AIS VHF