

35




PORTOFINO 35

SPECIFICATION



Spirited and stylish, the Portofino 35 delivers a superb performance that takes you to a top speed of 39 knots while indulging you with luxurious refinements at every turn. On the lower deck is the surprisingly roomy saloon and beautifully appointed accommodation for four, making the Portofino 35 ideal for stopovers and long weekends away.

- A:** Saloon
- B:** Aft twin cabin
- C:** Galley
- D:** Forward stateroom
- E:** WC and shower room
- F:** Cruising in comfort



PRINCIPAL CHARACTERISTICS

Length overall – (incl. pulpit, anchor and platform)	11.92m	39'1"	
Length hull – (incl. platform)	11.08m	36'4"	
Length waterline – (@ half load)	9.00m	29'6"	
Beam – (maximum)	3.54m	11'7"	
Height above waterline – (excl. mast)	3.68m	12'1"	
Draft – (maximum @ full load)	0.95m	3'1"	
Displacement – (@ half load)	8100kg	26574 lb	
Fuel capacity	659 litres	145 GB gal.	174 US gal.
Fresh water capacity	227 litres	50 GB gal.	60 US gal.
Propulsion	2 x stern drives		
Engine options	up to 570 PS (total)		
Fuel options	Diesel		
Generators	3.5kW @ 50Hz (Euro) 4kW @ 60Hz (US)		
Maximum speed	up to 39 knots*		
Cruising speed	up to 26 knots*		
Range	up to 200 nautical miles*		

PRINCIPAL FEATURES

- Electric anchor winch with deck and cockpit controls
- Hot and cold swimming shower
- Wetbar with hot and cold water
- Top loading ice chest
- Large cockpit table
- Electronic speedlog
- Depth sounder
- VHF radio
- Flatscreen television
- Radio/CD
- Electric refrigerator
- Gas hob and oven
- Hot and cold water system
- Automatic fire extinguisher system
- Automatic bilge pump
- Teak bathing platform
- AC shorepower/battery charger
- Toilet and holding tank

All items included in standard specification.

- US specification includes:
- Air conditioning
 - US Coast Guard build regulations
 - US specification appliances



STANDARD SPECIFICATIONS

1 Construction

Hand-laid GRP
Gel coat including stripes
Vinylester skin coat with powderbound mat
Stitched multi-axial reinforced single skin bottom
Balsa cored hull topsides
PVC foam cored deck and superstructure
Hull stiffened with longitudinal stringers supported by transverse bulkheads and floors

2 Deck

Moulded non-slip deck finish
Fittings all in stainless steel
Pulpit and cockpit rails
Stainless steel fendering with rubber insert
6 x stainless steel cleats
Curved stainless steel framed front windscreen
Electric anchor winch and capstan with deck and cockpit controls
Stainless steel bow roller
Delta anchor and 30m chain (galvanised)
Chain locker with fender storage
IMCO navigation lights
Fuel filler
Fresh water filler
Foldaway swimming ladder
Teak-laid bathing platform
Hot and cold swimming shower
Ensign staff and socket
4 x fenders and 2 x mooring lines

3 Cockpit

Self draining
Safety door
Top loading ice chest
Sink with hot and cold water
Dinette seating convertible into a sunbather
Cockpit table
Storage beneath seating
Folding helm seat
Curved co-pilot seating area
Glass holders
Overhead cockpit lights 12v
Waterproof carpet

4 Helm console

Contoured console with burr type walnut fascia
VHF radio
Wood rimmed steering wheel
Single lever controls
Full analogue engine instrumentation
Electronic speedlog
Depth sounder
Fuel gauge
Fresh water gauge
Compass
Horn control
Trim tab controls
2 x windscreen wipers and washers
Fire extinguisher
Glass holders

5 Saloon

Dinette with telescopic table leg
Flatscreen television
Radio/CD
Speakers in cabin and cockpit
Stowage beneath seats
Scatter cushions
Halogen overhead lights 12v
Opening portholes with mosquito screens and curtains
Opening deck hatch
Main switch and circuit breaker panel (AC/DC)
Double AC socket
Choice of lacquered interior finishes and veneers
Fitted carpet

6 Galley

Electric refrigerator 12v
Gas twin hob
Gas oven with grill
Hot and cold water
6 place crockery set
6 place cutlery set
Cupboard storage
Opening porthole with mosquito screen and curtain
Double socket
Hand-held fire extinguisher
First aid kit
Rubbish bin

7 Master stateroom

Double bed
Storage beneath
2 x reading lights 12v
Hanging wardrobe
Halogen overhead lighting
2 x opening portholes with mosquito screen and curtains
Deck hatch
Double AC socket
Fitted carpet

8 Shower room

Avonite counter top
Washbasin
Taps and accessories
Hot and cold water
Vanity unit
Glass holder
Soap dish
Towel ring
Toilet
Shower
Overhead lights
Opening porthole with mosquito screen and curtain
Shaver socket 240/110v

9 Aft cabin

2 x single berths
Under-berth storage
Hanging wardrobe
Storage cupboard
Halogen overhead lighting
2 x reading lights
Opening porthole with mosquito screen
Double AC socket
Fitted carpet

10 Engine compartment and ancillaries

Twin engines on stern drives
Sound insulation throughout engine room
Aluminium fuel tank with electric senders
Automatic fire extinguisher
2 x automatic bilge pumps
Separate fuel filters/water separators
Extractor fans
Fresh water tank with electric sender
12v fresh water pressure system
Hot water tank
Seacocks on all underwater fittings
Full cathodic bonding system to zinc anodes
Stainless steel hydraulic trim tabs 12v

11 Electrical system

AC dockside connection
Galvanic isolator
12v DC electrical system with full circuit breaker protection
2 x engine batteries 12v circuit
2 x domestic batteries 12v circuit
Alternator split charging system
Battery switches controlled from locker in cockpit
Battery charger for 12v circuits
Water heater
AC sockets throughout the boat


12 Optional extras

Teak cockpit
Generator
Electric twin hob and microwave
Air conditioning system
Bow thruster
Telescopic davits
Hydraulic Passerelle


US specification includes

Air conditioning
US Coast Guard build regulations
US specification appliances

MAIN DECK



LOWER DECK





THE WORLD'S FINEST LUXURY MOTORYACHTS



Sunseeker International Limited has CE Approval which is compulsory for all boats with a LOA of 24m and below when sold in the EU.

*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist's impressions that are not included in the standard inventory of the models shown. Specifications contained on the web site are samples only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory; however by contacting us we can advise you of models that are likely to be available in each territory. Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker dealer. Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Dealers and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. In some examples herein Sunseeker have referred to measurements, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.

Designed, written and produced by Marketing Matters Limited. Printed in England. August 2007. ©Sunseeker International.

Naval architects
Don Shead/Sunseeker Design
Exterior styling
Sunseeker Design
Interior design
Sunseeker Design
Builder
Sunseeker International

www.sunseeker.com